

Front2Back: Single View 3D Shape Reconstruction via Front to Back Prediction

Yuan Yao¹ Nico Schertler¹ Enrique Rosales^{1,2} Helge Rhodin¹ Leonid Sigal^{1,3} Alla Sheffer¹

¹University of British Columbia ²Universidad Panamericana

³Canada CIFAR AI Chair, Vector Institute

{rozentil, nschertl, albertr, rhodin, lsigal, sheffa}@cs.ubc.ca

Abstract

Reconstruction of a 3D shape from a single 2D image is a classical computer vision problem, whose difficulty stems from the inherent ambiguity of recovering occluded or only partially observed surfaces. Recent methods address this challenge through the use of largely unstructured neural networks that effectively distill conditional mapping and priors over 3D shape. In this work, we induce structure and geometric constraints by leveraging three core observations: (1) the surface of most everyday objects is often almost entirely exposed from pairs of typical opposite views; (2) everyday objects often exhibit global reflective symmetries which can be accurately predicted from single views; (3) opposite orthographic views of a 3D shape share consistent silhouettes. Following these observations, we first predict orthographic 2.5D visible surface maps (depth, normal and silhouette) from perspective 2D images, and detect global reflective symmetries in this data; second, we predict the back facing depth and normal maps using as input the front maps and, when available, the symmetric reflections of these maps; and finally, we reconstruct a 3D mesh from the union of these maps using a surface reconstruction method. Our experiments demonstrate that our framework outperforms state-of-the-art approaches for 3D shape reconstructions from 2D and 2.5D data in terms of input fidelity and details preservation. Specifically, we achieve 12% better performance on average in ShapeNet dataset [3], and up to 19% for certain classes of objects (e.g., chairs and vessels).

1. Introduction

Humans are amazingly adept at predicting the shape of 3D objects from a single 2D image, a task made particularly challenging by the need to predict occluded surface geometry. Early computer vision researchers hypothesized that humans achieve this goal by employing a series of intermediate representations, of progressively increasing complexity, and envision the 2.5D *visible surface* geometry as




Figure 1: **Front2Back** reconstructs 3D surfaces (left) from single 2D images (a) by first computing the corresponding front facing 2.5D normal, depth and silhouette (not shown) visible surface maps (b) and their symmetric reflections (when present) (c); it then predicts the back (opposite) view maps (d); and finally fuses all these intermediate maps via surface reconstruction to produce a watertight 3D surface (e). Our approach is able to recover more detailed and faithful 3D shape reconstructions compared to state-of-the-art.

one of these representations [26]. This argument motivates multi-step 3D reconstruction pipelines that use 2.5D visible surface as an intermediate representation [52]. Our novel *Front2Back* algorithm targets complete 3D surface reconstruction from such an intermediate representation, encoded via multiple depth and normal maps that capture global reflective symmetries (Figure 1b, 1c). We create a complete image to 3D reconstruction framework by combining *Front2Back* with a data-driven predictor that computes accurate 2.5D visible surface geometry from raw 2D images undoing perspective effects (Figure 1a).

Recent methods directly learn 3D shape representation from raw 2D images [6, 7, 16, 27, 43, 49] or intermediate 2.5D visible surface maps [39, 48, 50, 52] and represent 3D shapes using voxelizations or implicit functions (defined over \mathbb{R}^3). Such models often implicitly distill shape prior information into the network through a large set of 2D-3D paired exemplars obtained from ShapeNet [3] or similar large scale 3D model repository. These methods, collectively, produced an increasingly impressive set of results on single-view 3D shape reconstruction, but are limited in

terms of fidelity, a limitation which can be largely attributed to the resolution of the resulting voxel grid, as well as to the inherent complexity of learning volumetric (\mathbb{R}^3) information directly from images (\mathbb{R}^2). While the dimensionality challenge can be sidestepped via the use of 2D (texture) atlases describing the output point-clouds [16] or the use of deformable templates [44, 47], these approaches face other challenges. Notably, none of these methods take explicit advantage of geometric cues correlating visible and occluded surface parts; nor leverage strong perceptual cues in the input image, such as symmetry, which has been shown to be integral for the human 3D perception [32].

Similar to [16] we utilize an image-centric 2.5D intermediate data representation which allows us to describe output point-clouds precisely. However, contrary to all the above approaches we explicitly leverage geometric and perceptual linkages between visible and occluded surface geometry. The core observation behind our framework is that most everyday objects can be *almost* entirely described by pairs of oppositely oriented height-fields; moreover this property holds for most orientation choices¹. Therefore, a pair of 2.5D visible surface images taken from opposite views frequently describes a (nearly) complete 3D model (Figure 1b, 1d). Notably for orthographic projection, the silhouettes of such opposite images always align. Consequently, the problem of reconstructing 3D models from single, non-accidental, 2.5 orthographic visible surface images can for many classes of objects be effectively reduced to the *Front2Back* problem: correctly recovering the back facing 2.5D visible surface given a front facing one. The core advantage of this approach is that instead of directly obtaining 3D data from a 2D or a 2.5D input, a process that is still not well understood, we can now recast our core problem as synthesizing one type of, silhouette aligned, image (back) from another (front), a task that had been successfully tackled by recent image-to-image translation networks. Lastly, and critically, many everyday shapes exhibit global reflective symmetries, which can be accurately detected from front visible surface maps alone. These symmetries allow viewers to predict backfacing geometry as well as to complete details not available in either front or back views.

Following these observations, *Front2Back* employs an image-to-image translation network to predict back view 2.5D visible surface maps (depth+normal) from the input front 2.5D representation. It then reconstructs a 3D surface mesh fusing together the front and back geometry information using a reconstruction framework capable of producing watertight surfaces by combining positional and normal information [21]. In both the prediction of the intermediate 2.5D back view maps and the reconstruction itself, it leverages global reflective symmetries, algorithmically de-

¹A randomly tested sample of 520 ShapeNet core shapes had on average 80% of their surface visible from 95% of random *opposite view* pairs.

tected on the front visible surfaces, when present: reflected front surface maps (Figure 1c) are provided as auxiliary input for back prediction, and used as an additional source of data for subsequent reconstruction. To achieve direct 3D reconstruction from raw images we combine our method with a learning based framework that, for each input image, computes the corresponding orthographic 2.5D visible surfaces rectifying perspective distortion present in these images. Our approach leads to significant improvements in the resulting 3D shape reconstruction, compared to competing state-of-the-art methods, resulting in 12% improvements on average, measured using mesh-to-mesh distance [8] and up to 19% improvements on certain ShapeNet object classes, compared to the closest competitors.

Contribution: Our core contribution is a novel framework for 2.5D visible surface map to 3D reconstruction, which combines recent learning-based approaches with more traditional geometric processing and produces results superior to the state-of-the-art. This contribution is made possible by two core technical innovations: (1) the use of 2.5D *back* maps predicted from the 2.5D front maps as a stepping stone toward full 3D reconstruction, and (2) the use of symmetries detected in the front view to significantly improve the performance of both back prediction and 3D reconstruction.

2. Related Work

Single-view 3D Surface Reconstruction. Reconstructing 3D models from single view 2D images, or 2.5D depth (and normal) maps, is a difficult and ill-posed problem. Recent learning based methods show promising results in addressing this challenge [40]. While many methods predict 3D shape representations directly from 2D images, *e.g.*, [6, 7, 11, 13, 16, 27, 43, 44, 49, 51], others, *e.g.*, [39, 48, 50] first reconstruct the 2.5D visible surface (typically representing it via depth and normal maps) and then use this intermediate representation as a stepping stone toward complete 3D reconstruction. Many methods in both categories represent the reconstructed shapes using voxels, *e.g.*, [13, 48, 50, 51] or limited-depth octrees [45]. The accuracy of the reconstructions produced by these methods is limited by the finite resolution of the voxel or octree cells, limiting the methods’ ability to capture fine details. Template based methods [37, 44, 47] perform well when the topology of the input template matches that of the depicted shape, but are less suited for cases where the target topology is not known *a priori*. Recent implicit surface based methods [6, 27, 34] strive for resolution independence but require watertight meshes for training. Since the vast majority of meshes in the wild are far from watertight² instead of training directly on this data they use watertight approximations which necessarily deviate from the originals. This de-

²97% of the models in the test split of ShapeNet core are not watertight.

viation can potentially bias surface prediction. Atlas based [16] reconstruction avoids these pitfalls, but exhibits similar accuracy levels. Point or depth-only maps based methods [11, 36, 24] produce collections of points close to the target objects surface; however surface reconstruction from unoriented points is a challenging problem in its own right [2], thus when attempting to recover the surface from cloud the output quality decreases dramatically [36]. Our method uses depth plus normal maps as intermediate representation, works well on shapes with diverse topology, has no bounds on accuracy beyond the input image resolution; and can be directly trained on models with arbitrary connectivity and non-manifold artifacts.

Some methods used opposite views for reconstruction. Matryoshka Networks [33] predicts three pairs of depth maps in axis-aligned opposite views. Two recent methods reconstruct front and back depth map images of human subjects from photographs [12, 29]. Our method differs from those in utilizing a normal map alongside depth, symmetric cues, and normalized, orthographic coordinates obtained through perspective correction to predict depth maps across a wide range of classes/views.

Symmetry priors were used in earlier works [22, 30, 38, 41, 42] for completing partial scans or estimating depth of symmetric points. Recently, [47] used symmetry to regularize outputs at training time. In contrast, we integrate symmetry as a cue, in both training and test, for reconstruction.

View Synthesis and Shape Completion. Our core task of predicting back view 2.5D surface can be seen as a special case of alternative view synthesis [9, 10, 15, 25, 53]. Most such methods aim to predict views that have similar viewpoints to the original. Recent approaches, [5] render compelling images and depth maps from viewpoints that differ by up to 40° from the original. Surface reconstruction from depth maps alone [24, 36] suffers from similar pitfalls as one from unoriented clouds [2]. In contrast to these settings we seek to recover the exact opposite view, where the only overlap between the observed surfaces is along the outer silhouette. By combining these strategically selected views and utilizing symmetry we successfully compute oriented point-clouds, allowing for the use of more robust reconstruction methods [21]; producing superior reconstructions.

Learning based shape completion methods, *e.g.*, [17, 31], attempt to extend partial surfaces across poorly captured regions to produce a complete shape representation. These methods are designed to operate on 3D shape inputs, are typically limited to filling relatively small holes, and employ shape priors for ambiguity resolution. In contrast, our Front2Back step predicts a complete surface from only front facing depth+normal maps and uses an intermediate 2.5D back map to achieve this goal.

Image-to-image translation. Image-to-image translation [19, 20, 23, 46, 54] is a powerful tool for synthesizing new images from existing ones for applications such as image-from-sketch synthesis [35] and make-up application [4]. While typical translation methods aim to preserve the view and the content of the original image and only change some of their visual attributes, generating back views from front ones requires significant changes in the depth and normal content, a much more challenging task.

3. Approach

Our method takes as input a single perspective 2D image and generates a 3D mesh of the corresponding object, using four key steps (Figure 2). We start the process by predicting orthographic silhouette, depth, and normal maps of the portion of the target object’s surface visible in the input image (Section 3.1). We proceed to locate a global 3D reflective symmetry plane from this visible surface, if one exists (Section 3.2). We use the located plane (if detected) to infer the occluded parts of the shape whose symmetric counterparts are visible, by reflecting the input maps over the symmetry plane to get a second set of depth and normal maps (hereon referred to as reflected maps). We mask all depth and normal maps using the silhouette, denoting all pixels outside as background, and use these maps an input to our core back prediction stage. The prediction stage takes this input and generates new depth and normal maps for the back view, the exact opposite of the input front view (Section 3.3). We perform this prediction using a variant of conditional generative adversarial networks for image to image translation. Finally, we combine the front view maps, reflected maps, and predicted back view maps to extract the corresponding oriented point cloud and reconstruct the surface from this cloud (see Section 3.4 for details).

3.1. Orthographic Front View Prediction

For the 2D to 2.5D step, we adopt and train the 2.5D estimation network of [50], using example input-output pairs of perspective images and corresponding same view direction orthographic depth, normal, and silhouette maps. Perspective rectification simplifies subsequent symmetry estimation and allows us to enforce the same silhouette constraint across all computed maps.

We define the loss function as the sum of the three individual L_1 losses of the outputs. The original network is designed for noisy, real-life images and purposefully adds noise to input data to mimic real-life artifacts; since similar to most recent single view reconstruction methods our training image set is synthetic, for a fair comparison we disabled this feature in our implementation.




Figure 2: **Algorithm Stages:** (left to right): input perspective image; 2.5D orthographic map (depth+normal+silhouette) prediction; detection of reflective symmetries (regions on the left and right of the plane colored blue and red respectively); back map prediction; final surface reconstruction.

3.2. Symmetry Detection

Reflective symmetry is a frequent feature of both organic and man made shapes. It plays a vital role in human perception - absent information to the contrary, human observers expect symmetries observed in the visible parts of a surface to extend into occluded parts facilitating mental reconstruction of these occluded surfaces [18]. Our method mimics this behavior by explicitly formulating a surface hypothesis derived from reflective symmetries detected on the front view maps. Efficient, robust, and accurate detection of reflective symmetry planes from partial surfaces is a challenging geometry processing problem [1, 28]. While existing methods are designed for dense point-clouds, we seek to detect symmetries on pixelated and thus heavily quantized data, which frequently has very low local resolution (*e.g.* chair legs which are less than 5 pixels wide). Most critically, we seek to avoid false positives, as inaccurate reflected maps can severely impact our subsequent back prediction and reconstruction steps.

We design a targeted two-step reflective symmetry plane detection method, that addresses these challenges by combining information across all three front maps. We first estimate an approximate symmetry plane using a clustering-based approach, sped up using a variant of RANSAC. We refer to this plane as *initial* plane. We then optimize this initial plane to better align the original oriented points with their reflected counterparts using an iterated closest point method (Figure 3). We avoid false positives in both steps by utilizing two key constraints. We note that the silhouette map defines the visual hull of the target object, thus we expect any surface parts symmetric to parts of the visible surface to lie inside it; we thus filter out reflection planes that produce maps violating this constraint. Since our front maps are expected to be at least as accurate as the reflected ones, we similarly only consider planes that produce reflected maps that do not occlude the front surfaces (*i.e.* have no points closer to the viewer at the same x-y locations), we refer to this constraint as *visibility*. We use the detected planes to generate reflected depth and normal maps.




Figure 3: **Symmetry plane detection.** Given front view maps (insets, left) we use plane-space clustering to obtain initial reflective planes (center, dashed) and obtain the final planes (solid, right) by using ICP iterations. (For many inputs the improvement is more subtle.)

Initial plane. We use a clustering-based symmetry detection algorithm, inspired by [28] for estimating the initial symmetry plane. We first transform the front-facing normal and depth map into an *oriented* point set P . For each pair of oriented points $(\mathbf{p}_i, \mathbf{p}_j) \in P \times P$, we calculate the plane that best reflects \mathbf{p}_i to \mathbf{p}_j . We then repeatedly sample subsets of such potential symmetry planes and cluster each subset using mean-shift clustering. We compute a Voronoi diagram of all planes with respect to the centers of the resulting clusters, and define the score of each center as the number of planes in its' respective cell. To select the initial plane among cluster centers obtained across all iterations we first discard all centers that produce reflected maps significantly violating visual hull or visibility constraints. We then select as initial plane the center with the highest score.

Optimization. Our initial plane is based on a sampling approach and only considers planes defined directly by point pairs, thus while close to the optimal, it can often be further improved. We optimize the plane using a variant of classical ICP. At each iteration, for each point $\mathbf{p} \in P$, we first calculate the point $\mathbf{r}_p \in P$ that is closest to its reflection around the current symmetry plane s . We prune all correspondences whose distance exceeds a user-definable threshold or whose normals are not reflected within a tolerance, and use the remaining correspondences $P_c \subseteq P$ to optimize for a symmetry plane that maps the points closer to their reflections, *i.e.*,

$$s' = \arg \min_s \sum_{\mathbf{p} \in P_c} \|\rho_s(\mathbf{p}) - \mathbf{r}_p\|^2. \quad (1)$$

We solve this minimization problem using gradient descent with back tracking line search to determine the step size and update the estimate for the symmetry plane with s' . We repeat the process until convergence (Figure 3, right).

Determining Model Symmetry. We classify the input as asymmetric if the resulting reflected maps violate visual hull or visibility constraints with tight thresholds, or generates a map which covers less than 40% of the silhouette interior. False symmetry can dramatically impact reconstruction quality, far more so than reconstruction with no symmetry information, motivating us to use fairly strict thresholds. We classify about $\approx 20\%$ of the data as asymmetric.

3.3. Back View Maps Prediction

Recent deep learning-based image-to-image translation methods focus on the translation between different domains. In our method, we demonstrate that such deep neural networks can also be used to learn the mapping between 2.5D representations in opposing views.

Our learning model is similar to [20], which is based on a conditional generative adversarial network (cGAN). The architecture consists of two networks: a generator and a discriminator. The discriminator is trained on a training data set to classify an input image into either real or fake w.r.t. to training data set. The generator is trained to produce images that the discriminator evaluates as real. Our goal is to predict the back view normal and depth map from front view maps. To integrate symmetry information, we also feed the reflected depth and normal maps into the network when symmetries are detected (see end of Section 3.2). Hence the input to the generator is a depth-4 or -8 image, depending on symmetry circumstance, and the output is a depth-4 image encoding predicted back depth and normal maps. To train the network, we use a loss function L that comprises terms for each of the individual aspects of our prediction problem:

$$L = w_{GAN}L_{GAN} + w_dL_d + w_nL_n. \quad (2)$$

The GAN loss L_{GAN} is the traditional loss used for generative adversarial networks that steers the interplay between generator and discriminator. The two similarity loss functions for depth L_d and normals L_n aim to measure the pixel-wise differences between predicted and ground truth maps. In our experiments, we set $w_{GAN} = 1$, $w_n = 100$, and $w_d = 1000$. Next, we present loss functions in more detail.

Adversarial loss. We use the traditional adversarial loss as presented in [14]. Given the front view normal and depth maps \mathbf{N}_f and \mathbf{D}_f , the reflected back view maps \mathbf{N}'_b and \mathbf{D}'_b , we define the adversarial loss as:

$$\begin{aligned} L_{GAN}(G, D) = & \mathbb{E}_{(\mathbf{N}_f, \mathbf{D}_f)} [\log(D(\mathbf{N}_b, \mathbf{D}_b))] + \\ & \mathbb{E}_{(\mathbf{N}_f, \mathbf{D}_f, \mathbf{N}'_b, \mathbf{D}'_b)} [\log(1 - D(G(\mathbf{N}_f, \mathbf{D}_f, \mathbf{N}'_b, \mathbf{D}'_b)))] . \end{aligned} \quad (3)$$

Similarity loss. Similar to many existing image-to-image translation tasks, we use L1 loss between the output and ground truth images as a similarity measure for the depth maps. Since differences between orientations or normals are more accurately represented by angles, we use cosine similarity for the normal maps. Given the predicted back view maps $\hat{\mathbf{N}}_b$ and $\hat{\mathbf{D}}_b$ produced by the generator and the ground truth normal and depth images \mathbf{N}_b and \mathbf{D}_b :

$$L_d = \|\mathbf{D}_b - \hat{\mathbf{D}}_b\|_1 \quad L_n = [\mathbf{N}_b, \hat{\mathbf{N}}_b]_{\cos}, \quad (4)$$

where

$$[\mathbf{A}, \mathbf{B}]_{\cos} = \sum_{i,j} \left(1 - \frac{\mathbf{A}(i,j) \cdot \mathbf{B}(i,j)}{\|\mathbf{A}(i,j)\| \cdot \|\mathbf{B}(i,j)\|} \right). \quad (5)$$

3.4. Surface Reconstruction

We fuse the per-pixel positions and normals from the front, reflected, and predicted back maps to generate an oriented point cloud and use screened Poisson [21] for surface reconstruction. To produce closed meshes we use Dirichlet boundary conditions, and use an interpolation weight of 4 to promote interpolation of input points. Our fusion process automatically corrects quantization artifacts and inaccuracies in the computed maps that can lead to catastrophic reconstruction failures, and accounts for point density assumptions made by typical reconstruction methods.

Fusion. Similar to many other methods, screened Poisson reconstruction [21] expects input points originating from the same surface to be closer to one another than to points originating from an oppositely oriented surface. To satisfy this property given any pair of map points with oppositely oriented normals (one front facing and one back facing) which are within image-space distance of less than two pixels of one another, we ensure that the depth difference between them is at least two pixels, by moving the back facing point backward if needed. Following the visibility prior, we expect the front map points to be more reliable and closer to the viewer than points from other sources, thus we discard reflected and back map points if they are closer to the viewer than front map points at the same (x, y) position. Following the same argument, we expect back map points to be farthest from the viewer; however, in cases of depth conflicts we trust reflected maps more than back prediction. Thus we discard back map points that are closer to the viewer than reflected map points at the same (x, y) position. Lastly, we remove outliers which we classify as points which are above a fixed threshold away from all four of their immediate image-space neighbors in the same map along the depth axis. The logic behind this criterion is that while we expect the depth maps to exhibit discontinuities, we do expect local features to be larger than one pixel.

More fine grain implementation details are provided in the supplementary material.




Figure 4: **Back map prediction.** Given front and reflected depth+normal maps our image-to-image translation network predict the corresponding back view maps; we correctly identify asymmetric models and predict the corresponding back maps using a separately trained predictor which uses only front maps as input.

4. Experiments

We tested our methods on a large body of models across different classes and performed both qualitative and quantitative comparisons, as well as ablation studies demonstrating the impact of the different algorithmic choices made. Additional results, including ones generated from 256×256 images, are provided in the supplementary material.

Dataset. We use the ShapeNet Core dataset [3] and its official training/testing split, which includes 13 object categories. To compare against both methods that use this split and those that use the training/testing split of Choi *et al.* [7], we report all quantities on the intersection of the two test sets that none of the models have seen in training. To be comparable, we train our orthographic front view prediction using the training split of the images corresponding to the training models provided by Choi *et al.* [7] at resolution 137×137 pixel. We follow [27] and others and use the first, random view, provided by Choi *et al.* for the test set. To generate both the front and back view maps for training, we rendered orthographic depth and normal map from these views and their opposites. We use the canonical symmetry plane (yz) of the training shapes that are symmetric around it for generating reflected maps for training.

Metrics. For evaluation we use the mesh-to-mesh symmetric L_1 distance (MD) [8] and Chamfer L_1 distance (CD) between the ground truth and reconstructed meshes. We measure MD using Metro [8], a well established measurement tool in the geometry processing community, using default Metro parameters. We measure CD using the implementation provided by [27] across 100K evenly sampled points on the two meshes. The core difference between these metrics is that Metro looks for closest distance from a sample point on one mesh to any of the triangles on the other, while CD only considers sample to sample distances and thus is inherently more dependent on sampling density / quality. We report MD using the diagonal of the ground truth bounding box as unit 1, and follow [27] for reporting CD.

Implementation Details. We use ‘adam’ optimizer with learning rate 0.0001 and batch size of 4 for training our or-

thographic front view predictor. We use the loss and corresponding architecture and parameter settings from [50]. For symmetry detection we use 20 iterations each with 8K plane samples when computing initial plane up to 400 iterations for ICP; for correspondence pruning we use thresholds of 4 pixels and 60° on position and normals. We reject reflection planes as violating the visual hull threshold, if over 5% of the reflected pixels are at least 5 pixels outside the silhouette, and reject them as violating visibility if over 15% of the pixels are in front of the front view. We use ‘adam’ optimizer with learning rate 0.0002 and batch size of 1 for training our back prediction network, and use 5 random views out of the 24 provided by [7]. For final reconstruction step outlier removal we use threshold of 4. These parameters are kept constant for all experiments.




Figure 5: **Reconstruction ablation.** Each incorporated intermediate map improves final reconstruction quality.

4.1. Assessing Back Map Prediction

Figure 4 shows the results of our core back view from front view prediction step for several different-class examples. The depth and normal maps clearly convey that our networks can successfully predict the backside of the raw input images, replicating front features when appropriate and consistently completing entirely invisible features such as the back of the sofa or the occluded chair legs.

Back Prediction Ablation. To verify that the symmetry information improves back map prediction, we tested our prediction method with and without the reflected maps. We measure this impact on ground truth front maps of models from the test set to decouple performance of back prediction from the rest of the method. Table 2 shows the impact of using reflected maps on the accuracy of the back prediction



Figure 6: **3D shape from real images.** Our results (right) produced from real images (left) While not perfect, they provide a reasonable approximation of the shown shape.

for airplanes. We report performance in terms of average L_1 distance for the depth and average one minus cosine distance for the normal map; effectively this results in Eq. (2). As the numbers consistently show the use of reflection maps during prediction is important for the accuracy of resulting back maps. Figure 4, illustrates this difference on real image data. The impact of symmetry is most apparent in the normal maps, where chair legs are easily recognizable.

	MD
Ours (no symmetry)	0.0132
Ours (with symmetry)	0.0129

Table 1: **Surface ablation study** on airplane models, measuring mesh-to-mesh distance to ground truth on surfacing outputs generated without (top) and with (bottom) reflection maps. Our outputs are closer to ground truth and visually more symmetric (Figure 5).

	depth (avg L_1)	normal (avg $[1 - \cos(a', a)]$)
Ours (no sym)	0.000593	0.00310
Ours (with)	0.000578	0.00268

Table 2: **Front map prediction ablation:** on airplanes. Ground truth front maps are used with (bottom row) and without (top row) reflected maps. Performance is reported in terms of average per pixel and across model L_1 and 1 minus cosine distance of depth and normal back predictions respectively. Clearly, the reflected maps are beneficial.

3D Reconstruction Ablation. The final surface reconstruction uses as input a union of points from the front, reflected front, and predicted back views. To evaluate the importance of using these maps for reconstruction, we perform an ablation study on chairs and airplanes where we only feed some of the available maps into the Poisson reconstruction (Figure 5). Somewhat self-evidently, accurate reconstruction is essentially impossible absent back view information. More interestingly, our measurements (Table 1) show that including the reflected maps in the point cloud used for final reconstruction makes a more subtle but important impact on the quality of the results. The qualitative impact of incorporating the reflected map points is also quite significant

(see Figure 5) - human observers expect many man-made objects to be symmetric, and reconstructions that do not respect symmetry appear far less satisfactory from a user perspective. The results incorporating symmetry are thus both better quantitatively and more visually realistic / believable.

4.2. Single view 3D Shape Reconstruction

We tested our method on both 137 and 256 resolution images from the ShapeNet dataset [3] as discussed above. Representative results are shown in Figures 1, 2, 7, and 6. Our method generates high quality results across a large number of classes and object geometries.

Comparisons. We compare our method to a range of state-of-the-art techniques, including Pixel2Mesh [44], AtlasNet [16], OccNet [27], and IM-NET [6] (Table 3). We use published codes and pre-trained weights from respective papers to reproduce all results. We are unable to provide direct comparison to 3DN [47] because of issues with their published code³. Figure 7 shows some representative comparisons. As demonstrated across multiple inputs our method consistently captures fine model details more accurately than other methods. We note that while we use the CD metric from [27] to report the performance, we are recomputing all the numbers. Both [27] and Chen *et al.* [6] rely on watertight training models, that only approximate ground truth, and report Chanfer distance *wrt* to these proxies, while we seek to measure distances *wrt* to the real ground truth. Table 3 verifies quantitatively what the preceding qualitative results have shown: Our reconstructions are much closer to the ground truth shapes than those of other learning-based shape reconstruction methods, reducing both MD and CD by as much as 19% (on cars) and 18% (on lamps) respectively. On average across the 13 categories we are 12.5% better than the closes competing method, which turns out to be [44]. Overall, our method is more accurate on 9 out of 13 categories; performing worse on *cars*, *cabinets*, *phones* and *sofa* where it is only marginally worse than the best method.

Challenging Inputs. We measured front2back performance on inputs that challenge our core assumptions about visibility and symmetry. Approximately 25% of the views in our test set [7] jointly with their opposite views reveal less than 80% of the ground truth model’s surface. Table 4 shows that our method continues to outperform prior methods on these inputs, achieving an average reconstruction error (MD) of 0.0165. Notably we perform much better on the rest of the inputs, where the combined visibility is higher ($MD = 0.014$). This robustness to drop in visibility is due to the use of symmetry cues during reconstruction (Table 1): using the reflected front point cloud (Figure 5), enables us to recover geometry occluded in both front and back views, whose reflection is present in the front view. Over 10%

³<https://github.com/laughtervv/3DN/issues/4>




Figure 7: **Qualitative comparison to state-of-the-art.** Visual comparison of our results and those produced by Pixel2Mesh [44], AtlasNet [16], OccNet [27], and IM-NET [6]. In all examples our results are more consistent with the input images. For some of the methods, e.g. [27, 6] the strong shape priors result in meshes that are close to what the network considers a reasonable object but very far away from the input image.

	METHODS	CATEGORY													MEAN
		chair	plane	car	bench	cabinet	display	lamp	speaker	rifle	sofa	table	phone	vessel	
Surface, Metro [8]	Ours	0.013	0.013	0.013	0.014	0.014	0.014	0.019	0.019	0.012	0.015	0.012	0.012	0.016	0.0144
	ONet (Mescheder et al. [27])	0.019	0.016	0.017	0.017	0.017	0.022	0.033	0.036	0.016	0.019	0.020	0.021	0.021	0.0213
	AtlasNet (Groueix et al. [16])	0.018	0.014	0.016	0.016	0.018	0.016	0.028	0.025	0.013	0.019	0.021	0.012	0.018	0.0181
	Pixel2Mesh (Wang et al. [44])	0.016	0.020	0.011	0.016	0.012	0.016	0.021	0.020	0.014	0.014	0.014	0.011	0.021	0.0160
	IM-NET (Chen et al. [6])	0.023	0.017	0.018	/	/	/	/	/	0.015	/	0.029	/	/	0.0206
Chamfer- L_1 [27]	Ours	0.021	0.017	0.019	0.021	0.023	0.020	0.023	0.027	0.015	0.023	0.019	0.017	0.022	0.0206
	ONet (Mescheder et al. [27])	0.028	0.023	0.021	0.022	0.028	0.031	0.041	0.047	0.020	0.025	0.028	0.028	0.027	0.0283
	AtlasNet (Groueix et al. [16])	0.027	0.021	0.020	0.022	0.027	0.023	0.038	0.035	0.017	0.025	0.032	0.017	0.027	0.0254
	Pixel2Mesh (Wang et al. [44])	0.022	0.025	0.016	0.021	0.019	0.022	0.028	0.029	0.018	0.019	0.022	0.015	0.028	0.0221
	IM-NET (Chen et al. [6])	0.035	0.024	0.021	/	/	/	/	/	0.017	/	0.043	/	/	0.0280

Table 3: **Comparisons against state-of-the-art.** We compare our results against Pixel2Mesh [44], AtlasNet [16], OccNet [27], and IM-NET [6] measuring both mesh-to-mesh distance (MD) and L_1 Chamfer Distance (CD). Our method provides the best results overall for both metrics, outperforming the closest competitors on nine out of 13 classes.

	AtlasNet	Pixel2Mesh	OccNet	IM-NET	Ours
Less revealing	0.019	0.0166	0.022	0.021	0.0165
Non-symmetric	0.023	0.019	0.025	0.023	0.0164

Table 4: Mesh-to-mesh distance (MD) on challenging inputs (less revealing views or non-symmetric models).

of inputs in our tests (e.g., sofa in Figure 4) were classified as non-symmetric at runtime, and had the rest of the computation (back prediction + reconstruction) performed without using symmetry information. Our average reconstruction error (MD) across these inputs was 0.0164 compared to 0.0137 on inputs where symmetry was detected and utilized. Even on this non-symmetric subset our error is lower than those of the other methods as shown in Table 4. These measurements confirm that our method is not limited to symmetric inputs or inputs where front and (predicted) back views jointly reveal the vast majority of the observed object’s surface.

Generalization. We tested our front2back chair model (generating back 2.5D maps from front ones) on the bench and sofa classes, and tested the bench model on the sofa class. In all three settings, the increase in average error was 0.001 compared to using the dedicated models. We also trained a front2back model on the union of all training

sets. The average reconstruction error using this model was 0.0152 compared to 0.0144 for our individual models. In all tests we keep the dedicated per-class image2front models; this illustrate generalization of our core front2back method.

Application to real images. Figure 6 shows that, although trained on synthetic renderings, our method yields realistic reconstructions on real images when provided with a segmentation mask or simple background.

5. Conclusions

We presented a novel single view 3D reconstruction method anchored around prediction of back view maps from front view information. Key to the success of our method, which shows improvements over SoTA, is a combination of advanced learning approaches with geometry priors that motivate our algorithmic choices. Notably, our prediction of 2.5D front maps from images can be potentially substituted by other sources of depth and normal maps, such as depth scanners or sketch processing systems, enabling direct reconstruction of complete 3D objects from such data.

Acknowledgments

The authors wish to thank the reviewers for their insightful suggestions and NSERC for funding support.

References

- [1] Dror Aiger, Niloy J Mitra, and Daniel Cohen-Or. 4-points congruent sets for robust surface registration. *ACM Transactions on Graphics (TOG)*, 27(3), 2008. 4
- [2] Matthew Berger, Andrea Tagliasacchi, Lee M. Seversky, Pierre Alliez, Joshua A. Levine, Andrei Sharf, and Cláudio T. Silva. State of the art in surface reconstruction from point clouds. In *Eurographics*, 2014. 3
- [3] Angel X. Chang, Thomas Funkhouser, Leonidas Guibas, Pat Hanrahan, Qixing Huang, Zimo Li, Silvio Savarese, Manolis Savva, Shuran Song, Hao Su, Jianxiong Xiao, Li Yi, and Fisher Yu. ShapeNet: An Information-Rich 3D Model Repository. Technical Report arXiv:1512.03012 [cs.GR], 2015. 1, 6, 7
- [4] Huiwen Chang, Jingwan Lu, Fisher Yu, and Adam Finkelstein. Pairedcyclegan: Asymmetric style transfer for applying and removing makeup. In *The IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2018. 3
- [5] Xu Chen, Jie Song, and Otmar Hilliges. Monocular neural image based rendering with continuous view control. In *The IEEE International Conference on Computer Vision (ICCV)*, 2019. 3
- [6] Zhiqin Chen and Hao Zhang. Learning implicit fields for generative shape modeling. In *The IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2019. 1, 2, 7, 8
- [7] Christopher B Choy, Danfei Xu, JunYoung Gwak, Kevin Chen, and Silvio Savarese. 3d-r2n2: A unified approach for single and multi-view 3d object reconstruction. In *The European Conference on Computer Vision (ECCV)*, 2016. 1, 2, 6, 7
- [8] Paolo Cignoni, Claudio Rocchini, and Roberto Scopigno. Metro: measuring error on simplified surfaces. In *Computer Graphics Forum (CGF)*, volume 17, 1998. 2, 6, 8
- [9] Alexey Dosovitskiy, Jost Tobias Springenberg, and Thomas Brox. Learning to generate chairs with convolutional neural networks. In *The IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2015. 3
- [10] David Eigen, Christian Puhrsch, and Rob Fergus. Depth map prediction from a single image using a multi-scale deep network. In *Advances in Neural Information Processing Systems (NeurIPS)*, 2014. 3
- [11] Haoqiang Fan, Hao Su, and Leonidas J. Guibas. A point set generation network for 3d object reconstruction from a single image. In *The IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2017. 2, 3
- [12] Valentin Gabeur, Jean-Sebastien Franco, Xavier Martin, Cordelia Schmid, and Gregory Rogez. Moulding humans: Non-parametric 3d human shape estimation from single images. In *The IEEE International Conference on Computer Vision (ICCV)*, 2019. 3
- [13] Rohit Girdhar, David F Fouhey, Mikel Rodriguez, and Abhinav Gupta. Learning a predictable and generative vector representation for objects. In *The European Conference on Computer Vision (ECCV)*, 2016. 2
- [14] Ian Goodfellow, Jean Pouget-Abadie, Mehdi Mirza, Bing Xu, David Warde-Farley, Sherjil Ozair, Aaron Courville, and Yoshua Bengio. Generative adversarial nets. In *Advances in Neural Information Processing Systems (NeurIPS)*, 2014. 5
- [15] Ned Greene. Environment mapping and other applications of world projections. *IEEE Computer Graphics and Applications (CG&A)*, 6(11):21–29, 1986. 3
- [16] Thibault Groueix, Matthew Fisher, Vladimir G. Kim, Bryan C. Russell, and Mathieu Aubry. A papier-mâché approach to learning 3d surface generation. In *The IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2018. 1, 2, 3, 7, 8
- [17] Xiaoguang Han, Zhen Li, Haibin Huang, Evangelos Kalogerakis, and Yizhou Yu. High-resolution shape completion using deep neural networks for global structure and local geometry inference. In *The IEEE International Conference on Computer Vision (ICCV)*, 2017. 3
- [18] Donald D Hoffman. *Visual intelligence: how to create what we see*. Norton, New York, NY, 2000. 4
- [19] Xun Huang, Ming-Yu Liu, Serge Belongie, and Jan Kautz. Multimodal unsupervised image-to-image translation. In *The European Conference on Computer Vision (ECCV)*, 2018. 3
- [20] Phillip Isola, Jun-Yan Zhu, Tinghui Zhou, and Alexei A. Efros. Image-to-image translation with conditional adversarial networks. In *The IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2017. 3, 5
- [21] Michael Kazhdan and Hugues Hoppe. Screened poisson surface reconstruction. *ACM Transactions on Graphics (ToG)*, 32(3):29, 2013. 2, 3, 5
- [22] Kevin Köser, Christopher Zach, and Marc Pollefeys. Dense 3d reconstruction of symmetric scenes from a single image. In *Joint Pattern Recognition Symposium*, pages 266–275, 2011. 3
- [23] Hsin-Ying Lee, Hung-Yu Tseng, Jia-Bin Huang, Maneesh Singh, and Ming-Hsuan Yang. Diverse image-to-image translation via disentangled representations. In *The European Conference on Computer Vision (ECCV)*, 2018. 3
- [24] Chen-Hsuan Lin, Chen Kong, and Simon Lucey. Learning efficient point cloud generation for dense 3d object reconstruction. In *The Thirty-Second AAAI Conference on Artificial Intelligence (AAAI)*, 2018. 3
- [25] Fayao Liu, Chunhua Shen, Guosheng Lin, and Ian Reid. Learning depth from single monocular images using deep convolutional neural fields. *IEEE Transactions on Pattern Analysis and Machine Intelligence (TPAMI)*, 38(10):2024–2039, 2016. 3
- [26] David Marr. *Vision: A computational investigation into the human representation and processing of visual information*. MIT press. Cambridge, Massachusetts, 1982. 1
- [27] Lars Mescheder, Michael Oechsle, Michael Niemeyer, Sebastian Nowozin, and Andreas Geiger. Occupancy networks: Learning 3d reconstruction in function space. In *The IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2019. 1, 2, 6, 7, 8
- [28] Niloy J Mitra, Leonidas J Guibas, and Mark Pauly. Partial and approximate symmetry detection for 3d geometry. *ACM Transactions on Graphics (TOG)*, 25(3):560–568, 2006. 4
- [29] Ryota Natsume, Shunsuke Saito, Zeng Huang, Weikai Chen, Chongyang Ma, Hao Li, and Shigeo Morishima. Siclope:

- Silhouette-based clothed people. In *The IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2019. 3
- [30] Martin R Oswald, Eno Töppe, and Daniel Cremers. Fast and globally optimal single view reconstruction of curved objects. In *The IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2012. 3
- [31] Jeong Joon Park, Peter Florence, Julian Straub, Richard Newcombe, and Steven Lovegrove. DeepSDF: Learning continuous signed distance functions for shape representation. In *The IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2019. 3
- [32] Zygmunt Pizlo, Yunfeng Li, Tadamasawa Sawada, and Robert M. Steinman. *Making a Machine That Sees Like Us*. Oxford, 2014. 2
- [33] Stephan R. Richter and Stefan Roth. Matryoshka networks: Predicting 3d geometry via nested shape layers. In *The IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2018. 3
- [34] Shunsuke Saito, Zeng Huang, Ryota Natsume, Shigeo Morishima, Angjoo Kanazawa, and Hao Li. Pifu: Pixel-aligned implicit function for high-resolution clothed human digitization. In *The IEEE International Conference on Computer Vision (ICCV)*, 2019. 2
- [35] Patsorn Sangkloy, Jingwan Lu, Chen Fang, Fisher Yu, and James Hays. Scribbler: Controlling deep image synthesis with sketch and color. In *The IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2017. 3
- [36] Daeyun Shin, Charless C. Fowlkes, and Derek Hoiem. Pixels, voxels, and views: A study of shape representations for single view 3d object shape prediction. In *The IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2018. 3
- [37] Ayan Sinha, Asim Unmesh, Qixing Huang, and Karthik Ramani. Surfnet: Generating 3d shape surfaces using deep residual networks. In *The IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2017. 2
- [38] Pablo Speciale, Martin R Oswald, Andrea Cohen, and Marc Pollefeys. A symmetry prior for convex variational 3d reconstruction. In *The European Conference on Computer Vision (ECCV)*, 2016. 3
- [39] Xingyuan Sun, Jiajun Wu, Xiuming Zhang, Zhoutong Zhang, Chengkai Zhang, Tianfan Xue, Joshua B. Tenenbaum, and William T. Freeman. Pix3d: Dataset and methods for single-image 3d shape modeling. In *The IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2018. 1, 2
- [40] Maxim Tatarchenko, Stephan R. Richter, Rene Ranftl, Zhuwen Li, Vladlen Koltun, and Thomas Brox. What do single-view 3d reconstruction networks learn? In *The IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2019. 2
- [41] Demetri Terzopoulos, Andrew Witkin, and Michael Kass. Symmetry-seeking models and 3d object reconstruction. *International Journal of Computer Vision (IJCV)*, 1(3):211–221, 1988. 3
- [42] Sebastian Thrun and Ben Wegbreit. Shape from symmetry. In *IEEE International Conference on Computer Vision (ICCV)*, 2005. 3
- [43] Shubham Tulsiani, Tinghui Zhou, Alexei A. Efros, and Jitendra Malik. Multi-view supervision for single-view reconstruction via differentiable ray consistency. In *The IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2017. 1, 2
- [44] Nanyang Wang, Yinda Zhang, Zhuwen Li, Yanwei Fu, Wei Liu, and Yu-Gang Jiang. Pixel2mesh: Generating 3d mesh models from single rgb images. In *The European Conference on Computer Vision (ECCV)*, 2018. 2, 7, 8
- [45] Peng-Shuai Wang, Chun-Yu Sun, Yang Liu, and Xin Tong. Adaptive O-CNN: A Patch-based Deep Representation of 3D Shapes. *ACM Transactions on Graphics (TOG)*, 37(6), 2018. 2
- [46] Ting-Chun Wang, Ming-Yu Liu, Jun-Yan Zhu, Andrew Tao, Jan Kautz, and Bryan Catanzaro. High-resolution image synthesis and semantic manipulation with conditional gans. In *The IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2018. 3
- [47] Weiyue Wang, Duygu Ceylan, Radomir Mech, and Ulrich Neumann. 3dn: 3d deformation network. In *The IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2019. 2, 3, 7
- [48] Jiajun Wu, Yifan Wang, Tianfan Xue, Xingyuan Sun, Bill Freeman, and Josh Tenenbaum. Marrnet: 3d shape reconstruction via 2.5 d sketches. In *Advances in Neural Information Processing Systems (NeurIPS)*, 2017. 1, 2
- [49] Jiajun Wu, Chengkai Zhang, Tianfan Xue, Bill Freeman, and Josh Tenenbaum. Probabilistic latent space of object shapes via 3d generative-adversarial modeling. In *Advances in Neural Information Processing Systems (NeurIPS)*, 2016. 1, 2
- [50] Jiajun Wu, Chengkai Zhang, Xiuming Zhang, Zhoutong Zhang, William T Freeman, and Joshua B Tenenbaum. Learning shape priors for single-view 3d completion and reconstruction. In *The European Conference on Computer Vision (ECCV)*, 2018. 1, 2, 3, 6
- [51] Xinchun Yan, Jimei Yang, Ersin Yumer, Yijie Guo, and Honglak Lee. Perspective transformer nets: Learning single-view 3d object reconstruction without 3d supervision. In *Advances in Neural Information Processing Systems (NeurIPS)*, 2016. 2
- [52] Xiuming Zhang, Zhoutong Zhang, Chengkai Zhang, Joshua B. Tenenbaum, William T. Freeman, and Jiajun Wu. Learning to reconstruct shapes from unseen classes. In *Advances in Neural Information Processing Systems (NeurIPS)*, 2018. 1
- [53] Tinghui Zhou, Shubham Tulsiani, Weilun Sun, Jitendra Malik, and Alexei A Efros. View synthesis by appearance flow. In *The European Conference on Computer Vision (ECCV)*, 2016. 3
- [54] Jun-Yan Zhu, Taesung Park, Phillip Isola, and Alexei A. Efros. Unpaired image-to-image translation using cycle-consistent adversarial networks. In *The IEEE International Conference on Computer Vision (ICCV)*, 2017. 3