

Carnegie

University

Mellon

Open-set face recognition

Georgia

Tech

- > Face identities do not appear simultaneously in training set and testing set.
- > Open-set face recognition requires more generalization power than close-set face recognition.
- > Essentially, it can be viewed as a metric learning problem.

Prevailing methods for deep face recognition

Deep-ID network (CUHK)

Combine the softmax loss and the contrastive loss to learn discriminative face representation.

➢ FaceNet (Google)

Use Triplet loss to supervise the network learning, but require very large amount of data. (200 million face images)

> Things in common

They all explicitly treat the open-set face recognition problem as metric learning problem, since contrastive loss and triplet loss are both originally used in metric learning.

SphereFace: Deep Hypersphere Embedding for Face Recognition

Weiyang Liu¹, Yandong Wen², Zhiding Yu², Ming Li^{2,3}, Bhiksha Raj², Le Song¹

1. Georgia Institute of Technology 2. Carnegie Mellon University 3. Sun Yet-Sen University

> Drawbacks

Deep-ID network combines the softmax loss and contrastive loss, but they produces different feature distribution. So it may not be a natural choice. For FaceNet, it requires large amount of data. It is computationally expensive

Softmax loss learns angularly distributed features

> Softmax loss can naturally learn angularly distributed features, so it will not be naturally motivated to incorporate any Euclidean losses.



A motivating binary classification example

Softmax computes the probability for two classes as

$$p_1 = \frac{\exp(\boldsymbol{W}_1^T \boldsymbol{x} + b_1)}{\exp(\boldsymbol{W}_1^T \boldsymbol{x} + b_1) + \exp(\boldsymbol{W}_2^T \boldsymbol{x} + b_2)}$$
(1)
$$\exp(\boldsymbol{W}_2^T \boldsymbol{x} + b_2)$$

$$p_2 = \frac{\exp(\boldsymbol{W}_2^T \boldsymbol{x} + b_2)}{\exp(\boldsymbol{W}_1^T \boldsymbol{x} + b_1) + \exp(\boldsymbol{W}_2^T \boldsymbol{x} + b_2)}$$
(2)

The decision boundary produced by softmax loss is

$$(\boldsymbol{W}_1-\boldsymbol{W}_2)\boldsymbol{x}+b_1-b_2=0$$

To achieve angular decision boundary, the weights for the final FC layer is in fact useless. So we will first normalize the weights and zero out the biases. To further introduce angular margin, we propose to make the classification more difficult.

Loss Function	Decision Boundary		
Softmax Loss	$(W_1 - W_2)x + b_1 - b_2 = 0$		
Modified Softmax Loss	$\ \boldsymbol{x}\ (\cos\theta_1 - \cos\theta_2) = 0$		
A-Softmax Loss	$\ \boldsymbol{x}\ (\cos m\theta_1 - \cos \theta_2) = 0 \text{ for class } 1 \\ \ \boldsymbol{x}\ (\cos \theta_1 - \cos m\theta_2) = 0 \text{ for class } 2 \\ \ \boldsymbol{x}\ (\cos \theta_1 - \cos m\theta_2) = 0 \text{ for class } 2 \\ \ \boldsymbol{x}\ (\cos \theta_1 - \cos m\theta_2) = 0 \text{ for class } 2 \\ \ \boldsymbol{x}\ (\cos \theta_1 - \cos m\theta_2) = 0 \text{ for class } 2 \\ \ \boldsymbol{x}\ (\cos \theta_1 - \cos m\theta_2) = 0 \text{ for class } 2 \\ \ \boldsymbol{x}\ (\cos \theta_1 - \cos m\theta_2) = 0 \text{ for class } 2 \\ \ \boldsymbol{x}\ (\cos \theta_1 - \cos m\theta_2) = 0 \text{ for class } 2 \\ \ \boldsymbol{x}\ (\cos \theta_1 - \cos m\theta_2) = 0 \text{ for class } 2 \\ \ \boldsymbol{x}\ (\cos \theta_1 - \cos m\theta_2) = 0 \text{ for class } 2 \\ \ \boldsymbol{x}\ (\cos \theta_1 - \cos m\theta_2) = 0 \text{ for class } 2 \\ \ \boldsymbol{x}\ (\cos \theta_1 - \cos m\theta_2) = 0 \text{ for class } 2 \\ \ \boldsymbol{x}\ (\cos \theta_1 - \cos m\theta_2) \ \ \boldsymbol{x}\ (\cos \theta_1 - \cos m\theta_2) \ \ \boldsymbol{x}\ (\cos \theta_1 - \cos m\theta_2) \ \ \ \boldsymbol{x}\ (\cos \theta_1 - \cos m\theta_2) \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $		

SphereFace Algorithm

SphereFace uses the angular softmax (A-Softmax) loss defined as

$$L_{\text{ang}} = \frac{1}{N} \sum_{i} -\log \Big(\frac{e^{\|\boldsymbol{x}_{i}\|\psi(\theta_{y_{i},i})}}{e^{\|\boldsymbol{x}_{i}\|\psi(\theta_{y_{i},i})} + \sum_{j \neq y_{i}} e^{\|\boldsymbol{x}_{i}\| \cos(\theta_{j,i})}} \Big)$$

where $\psi(\theta_{y_i,i}) = (-1)^k \cos(m\theta_{y_i,i}) - 2k$ and $\theta_{y_i,i} \in [\frac{k\pi}{m}, \frac{(k+1)\pi}{m}]$.

The parameter m is to control the margin size. Note that the weights are normalized to 1 in each iteration. Larger m gives larger margin.

The learning and inference pipeline of SphereFace:

It is the same as traditional CNN framework, so it is extremely simple and compatible with any advanced network architecture such as VGG, GoogLeNet, ResNet, etc. But with the proposed angular softmax loss, the learned features will be much more discriminative.

> The SphereFace features are very discriminative in the angular space.



SphereFace feature visualization



> Among all the methods trained on the publicly available WebFace

> SphereFace state-of-the performanc publicly ava scale datase other comn algorithms and large-sc



Exploratory study

> How m affects the performance

The verification accuracy on LFW dataset

Dataset	Original	m=1	m=2	m=3	m=4
LFW	97.88	97.90	98.40	99.25	99.42
YTF	93.1	93.2	93.8	94.4	95.0

How the number of conv layers affects the performance The verification accuracy on LFW dataset





Experiments on LFW and YTF dataset

dataset, we achieve the current best performanc and significantly outperforms the #2 performance.

	Method	Models	Data	LFW	YTF
e [DeepFace [30]	3	4M*	97.35	91.4
	FaceNet [22]	1	200M*	99.65	95.1
	Deep FR [20]	1	2.6M	98.95	97.3
	DeepID2+ [27]	1	300K*	98.70	N/A
	DeepID2+ [27]	25	300K*	99.47	93.2
	Baidu [15]	1	1.3M*	99.13	N/A
	Center Face [34]	1	0.7M*	99.28	94.9
	Yi et al. [37]	1	WebFace	97.73	92.2
	Ding et al. [2]	1	WebFace	98.43	N/A
	Liu et al. [16]	1	WebFace	98.71	N/A
	Softmax Loss	1	WebFace	97.88	93.1
	Softmax+Contrastive [26]	1	WebFace	98.78	93.5
	Triplet Loss [22]	1	WebFace	98.70	93.4
	L-Softmax Loss [16]	1	WebFace	99.10	94.0
	Softmax+Center Loss [34]	1	WebFace	99.05	94.4
	SphereFace	1	WebFace	99.42	95.0

Experiments on Megaface Challenge

	Method	protocol	Rank1 Acc.	Ver.
achieves the	NTechLAB - facenx large	Large	73.300	85.081
o ort	Vocord - DeepVo1	Large	75.127	67.318
e-art	Deepsense - Large	Large	74.799	87.764
re using only	Shanghai Tech	Large	74.049	86.369
	Google - FaceNet v8	Large	70.496	86.473
ailable small-	Beijing FaceAll_Norm_1600	Large	64.804	67.118
et, while the	Beijing FaceAll_1600	Large	63.977	63.960
	Deepsense - Small	Small	70.983	82.851
nercial	SIAT_MMLAB	Small	65.233	76.720
•	Barebones FR - cnn	Small	59.363	59.036
use private	NTechLAB - facenx_small	Small	58.218	66.366
cale datasets.	3DiVi Company - tdvm6	Small	33.705	36.927
	Softmax Loss	Small	54.855	65.925
	Softmax+Contrastive Loss [26]	Small	65.219	78.865
	Triplet Loss [22]	Small	64.797	78.322
	L-Softmax Loss [16]	Small	67.128	80.423
	Softmax+Center Loss [34]	Small	65.494	80.146
	SphereFace (single model)	Small	72.729	85.561
	SphereFace (3-patch ensemble)	Small	75.766	89.142